

150181

Page 1

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 8/23/2016 **Start Qty:** 9.00

9

Cust Item ID:

Required Date: 8/24/2016 Req'd Qty: 9.00

9

Customer:

Reference:

Approvals: Process Plan: DAS Date: AUG 25 2016

Tooling: _____ Date: _____

Run Start *NR1*

QC: **9-89** Date: SPC (Y/N): Date:

Stop ***NR2***

Draw Nbr	Revision Nbr	
D3794	Rev A	

0.00

100

FLOW WATER JET

Waterjet

Memo

0.09

FLOW CNC Waterjet

1-Cut as per Dwg D3794 Dwg Rev: A Prog Rev: A 2-
Deburr if necessary

13

De 16/09/18

110

QC2- Inspect parts off machine FAI/FAIB

0.00

1 10

Memo

0.01

QC

Quality Control

⑬

de 16/09/11

120

QC8- Inspect parts - second check

0.00

120

Memo

0.03

QC

Quality Control

413

DAS
16
9-89

16/5/12

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE**DART**
AEROSPACE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
		OTHER : ☐			

Work Order ID 150181

Wednesday, August 24, 2016 11:48:12 AM

150181

Page 2

Item ID: D3794-3

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Gasket Aft

Start Date: 8/23/2016 Start Qty: 9.00

Q

Cust Item ID:

Required Date: 8/24/2016 Req'd Qty: 9.00

Q

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

Identify as per dwg & Stock Location: FP-001

0.00

130

Packaging

Memo

0.01

Packaging

LOCATION : FP001

x13 d 9/11/13

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

0.15

Quality Control

SEP 13 2016

DAS
21
9-89Rem 10/09/13

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER :							

Picklist Print

Wednesday, August 24, 2016 11:48:15 AM

Page 1

Work Order ID: 150181

150181

Parent Item: D3794-3

D3794-3

Parent Item Name: Gasket Aft

Start Date: 8/23/2016

Required Date: 8/24/2016

Start Qty: 9.00

Required Qty: 9.00

Comments: IPP Rev:A 08-05-13 new issue DD verified by:EC
IPP Rev:B 08-05-23 revA as per dwg DD verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MNEO60S.063		Purchased	No			100	sf	94.2568	1.2828	12.828			

MNEO60S 063

NEOPRENE SHEET 0.063

as 16/09/11

Location

Loc Qty

Loc Code

MAT052

94.256778

M134972

94.256778

12

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER :							

DART AEROSPACE LTD		Work Order:	<u>150181</u>
Description: Gasket		Part Number:	D3794-3
Inspection Dwg: D3794 Rev: A		Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST


☒ **First Article**

 ☐ **Prototype**


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.19	+0.005/-0.001	<u>0.19</u>	<u>1</u>		<u>V-D-02</u>	
0.300 x 0.300	+/-0.010	<u>0.30 x .30</u>	<u>1</u>		<u>Tap</u>	
1.88	+/-0.030	<u>1.88</u>	<u>1</u>			
4.281	+/-0.010	<u>4.281</u>	<u>1</u>			
6.44	+/-0.030	<u>6.44</u>	<u>1</u>			
6.00	+/-0.030	<u>6.00</u>	<u>1</u>			
6.75	+/-0.030	<u>6.75</u>	<u>1</u>			
2.00	+/-0.030	<u>2.00</u>	<u>1</u>			
4.75	+/-0.030	<u>4.75</u>	<u>1</u>			
9.50	+/-0.030	<u>9.50</u>	<u>1</u>			
14.25	+/-0.030	<u>14.25</u>	<u>1</u>			
17.75	+/-0.030	<u>17.75</u>	<u>1</u>			
26.74	+/-0.030	<u>26.74</u>	<u>1</u>			
29.23	+/-0.030	<u>29.23</u>	<u>1</u>			

Measured by:	<u>an</u>	Audited by:	<u>DAS</u>	Prototype Approval:	N/A
Date:	<u>16/09/11</u>	Date:	<u>18/09/12</u>	Date:	N/A


Rev	Date	Change	Revised by	Approved
A	08.05.28	New Issue	KJ/DD	
B	08.10.17	17.75 revised per Dwg Rev. A	KJ/DD	



D3794-1 GASKET



DETAIL A
SCALE 8X



D3794-3 GASKET

NOTES:

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER
(REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "DXXXX-X" USING WHITE FINE POINT PERMANENT INK MARKER OR LABEL
- 7) WEIGHT: D3794-1 - 0.23 LBS, D3794-3 - 0.22 LBS

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

NO. 150181 MCO
16-08-25

RELEASED
08-05-14

A NEW ISSUE		PH	08.05.14
REV.	DESCRIPTION	BY	DATE
DESIGN	PH	DART AEROSPACE USA, INC PORT HADLOCK, WA	
DRAWN	PH		
CHECKED	PH	DRAWING NO.	REV. A
MFG. APPR.	PH	D3794	SHEET 1 OF 1
APPROVED	PH	TITLE	SCALE
DE APPR.	PH	GASKET	NTS
DATE	08.05.14	COPYRIGHT © 2008 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC	